

Smarter Working Made Simple



Born to be Extraordinary.

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds in developing document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



With the TASKalfa 7054ci series you get:

User-friendly interface

Tablet-like functionality makes life easier. No more frustration at the printer!

Fast print and scan speeds

Get the documents you want when you need them and watch your productivity soar.

Smart and scalable solutions

Get your team working as one with solutions that help workflows run smoothly and efficiently.

Devices you can rely on

Kyocera devices are built to last the test of time. Get ready to say goodbye to costly downtime!

Optimal security

With in-depth security capabilities, you can be rest assured that your confidential data is safe with Kyocera.

Outstanding Image Quality

The TASKalfa 7054ci series gives you incredible image quality and outstanding colors with high resolution and superior image processing.



Delivers realistic image with high resolution

Provides printing resolution of 1,200dpi. You will enjoy sharp, detailed print results even in fine lines and small characters, giving your image a bright and vivid impression along with the realistic texture.

Impressive quality even for repeated copies

Reduces the color difference with accurate color matching when digital copying, and also avoids quality degradation during repeated photocopying.

Stable print quality



Keeps the stability of color performance, no matter for the 1^{st} page or the $1,000^{th}$ or more.

Beautiful contrast



Provides a better contrast with incredible deep blacks.

High gloss



Existing model

New model

Performs a glossy finishing on images.

Artificial Intelligence

Incorporating the latest technology, the devices provide a solution that will drive productivity by helping companies work smarter to produce higher quality results in less time than ever before.


With our latest AI technology, the TASKalfa 7054ci series enables users to emphasize or overwrite the handwritten parts of a document without changing the format or image when scanning. Moreover, users can now avail of the AI-powered Super Resolution function which helps breathe new life and enhanced quality into low-resolution photos and logo images.



Future-proof your business!

New Handwriting tool

The enhancement handwriting tool creates major advances in the user experience, making it easier to add better emphasis or highlight handwritten notes on a document, or to remove them altogether. The implications of this include: time saved, reduced waste (no need to reprint documents), and a greater capacity to share information. This could be especially useful in education, where scanning documents and note-taking are inevitable. Physical copies of documents can be shared, distributed, and written on, all while saving a lot of time and printing costs.



Detect and change handwriting color

Super Resolution feature

With the new AI functionalities, there's no need to invest extra time and effort to improve low resolution images. The KX printer driver supports the 'Super Resolution' function that compares information from images that already exist online, identifying and converting low-resolution images to higher resolution, creating slick, professional looking output. Pixelated images are smoothed to create more attractive and neater documents and visuals, ultimately this results in a better looking product that communicates more effectively, particularly beneficial for marketing materials where there are major demands for high-quality production.





Redefining Usability

Less confusion means less errors. With the TASKalfa 7054ci, you get a user interface that minimizes confusion and maximizes your capabilities, so that you can allocate more time to your other business operations.

Equipped with a **10.1-inch resistive display**, the new series boasts an **intuitive and easy-to-use**, **full-color touch panel**, while offering fast and simple access to a wide range of document management functions including HyPAS applications. Meanwhile, hardware keys are minimized, and users can enjoy a seamless transition between the user interfaces while using the **tablet-like display**.

The TASKalfa 7054ci combines a **simple**, **slick and fresh design with gesture-based operations**. With a clear emphasis on important information and easy to understand icons, users can enjoy a hassle-free printing experience.

Fewer pains. More gains.

Meet the new interface

With standard colors and intuitive icons, carrying out tasks at the printer has never been easier.



Simple

Standardized icons and graphics makes it easy to navigate the interface.



Intuitive

Emphasize important information and use gestures to select target items.



Efficient

Work quicker with less steps along with quick-switch settings.



Productivity You Can Rely On

To drive your productivity, two key areas must be addressed: Optimized printer performance and downtime. **The TASKalfa 7054ci series does both.** With the high print speed and Kyocera's reputation of highly reliable products, the TASKalfa 7054ci series delivers exceptional quality without the wait.

Re-energize the way you work.



Prevention > Cure

Seamless scan to folder set up, easy tilted documents correction, and staple detection ensures your team can continue to work at full velocity.



Performance Upgrades

Compared to its predecessor, the TASKalfa 3554ci offers close to a 10% increase in print speeds (35 ppm) while paper capacity has been boosted by 18.5% to 320 sheets.



Enhanced Fault Isolation Function

When a failure occurs in the MFP, only functions related to the failure are disabled, meaning other functions can be used after restarting, thus reducing user downtime.




Multi Cropping

Quickly and efficiently scan multiple receipts or business cards to digitize the data at once. Users can subsequently save each document separately in the relevant folder.

Enhanced Function for Scanning, Printing and Copying

In addition to high-speed printing, the Taskalfa 7054ci series boosts your productivity with a variety of output styles. Booklet binding, Z-folding, stapling, punching, etc. can be processed automatically by using a Z-Fold Unit or Inserter with Finisher.



Multiple cropping

This can make multiple receipts or business cards to digital data efficiently by scanning simultaneously, and saving them as individual files.



Scan up to 16 sheets at once



Autosave by page or file

Tilt correction

When scanning thick documents with a two-page spread such as books on the platen with open DP or Platen cover, it will auto detect and correct tilted page.



Auto detect tilt when scanning



Tilt correction

Set up of "Scan to Folder"

To send images scanned by the MFP to a folder on the PC via SMB, it is necessary to make complicated settings on the MFP and PC. Using this tool, you can easily set folder sharing settings and register in the MFP's address book by following the wizard, and setup can be completed smoothly.



Multi inserter

You can add two types of paper as cover paper or insert paper. In addition, by combining options such as saddle stitch, inner Tri-fold, and inner fold, you can perform a variety of post-processing that increases the value of printed materials. This makes it possible to create a wide variety of booklets with covers and simple catalogs.





Protect Your Business Against

New Security Threats

Cyberthreats soar during periods of disruption. Today is no different.

Are you happy to leave the fate of your valuable documents and data to chance? With the TASKalfa 7054ci series, you don't have to run the risk.

The TASKalfa 7054ci series provide enhanced device and document security that address not only today's challenges, but the challenges of tomorrow as well. Security starts from the ground up and Kyocera ensures your data; your device and your network are always protected.

The following are just some of the standout security features of the TASKalfa 7054ci series:



Secure/Multipurpose Internet Mail Extensions (S/MIME)

Improves the security of email encryption by providing security for authentication, message integrity, the use of digital signatures and privacy and data security.

Simple Certificate Enrollment Protocol (SCEP)

Automatically ensures that the device has the latest security certificates and makes the issuing of digital certificates as effortless as possible.

Online Certificate Status Protocol/Certificate Revocation (OCSP/CRL)

Provides settings that can verify the validity of the certificates used in encrypted communications.

Security Information and Event Management (SIEM)

Provides the ability to log security events that help monitor potential unauthorized operations like malware, intrusions and information leakage.

TLS version 1.3 support

A faster, safer and more secure method of cryptography that encrypts data by providing secure communication between web browsers and servers.

Kyocera has been accredited with ISO 27001 certification, recognizing its commitment to the highest standards of information security management across the business.


Environment

At Kyocera, we are committed to doing the right thing as a human being. We work hand in hand with our customers and partners so that they get the solutions they need while we collectively reduce our overall carbon footprint. The new TASKalfa 7054ci series marks another important step in this strategy.

Equipped with ARM A53 (Quad Core) 1.6GHz CPU's to improve overall performance, energy consumption during sleep mode has been significantly reduced from 0.7W to 0.4-0.5W for both devices. Not only does this help boost your eco-credentials, you also save on your energy bills!

Use of eco-friendly toner originally developed by Kyocera

The use of nano-particle structure micro toner reduces the burden on the environment. Our exclusive formula does not include use of organic solvents, but only requires a very small amount of water during the production. The toner can be attached to the paper at low temperature, reducing the power consumption during printing.



Reusing emptied toner cartridges

The emptied black toner cartridge can be used as a container for wasted toner, which does not only reduces the generation of waste but also reduces the costs while saving resources.

Minimize standby power consumption

Reducing standby power consumption for printers and multifunction devices in offices is also one of the important environmental issue. Our exclusive power-saving controller minimizes the standby power in sleep mode without compromising your business operation and productivity.



TEC reduction

Equipped with an advanced energy-saving controller, the power consumption during sleep mode is able to be controlled at about 0.4W-0.5W.

Work more efficiently while reducing your carbon footprint.



			Main Specifications				
Model			TASKalfa 2554ci	TASKalfa 3554ci	TASKalfa 4054ci		
Main Function				Copy, Print, Scan, Fax (Optional)			
Writing Method			Semiconductor Laser				
CPU Print Speed (A4) (Mana (Salar)			25/25 nom	ARM A53 1.6GHz	40/40 ppm		
Print Speed (A4) (Mono/Color)		Simplex	25/25 ppm 50 i	35/35 ppm	40/40 ррш		
Scanning Speed (A4) 300dpi	DP-7140	Duplex	16 i		-		
Scanning Speed (A4) 300dpi	DP-7150	Simplex		80 ipm			
Admining Speed (A4) Soudpi	DI 7130	Duplex	100	48 ipm	107:		
Scanning Speed (A4) 300dpi Dual Scan	DP-7160	Simplex Duplex	100	•	137 ipm 274 ipm		
Scanning Speed (A4) 300dpi Dual Scan		Simplex	100	•	137 ipm		
with Duplex Feed Detection DP	DP-7170	Duplex	200	•	274 ipm		
lemory		Standard 4GB (Max. 4GB)					
SSD/HDD Capacity			SSD 32GB (Standard) / HDD 320GB or 1TB (Optional)		SSD 64GB (Standard) / HDD 320GB or 1TB (Optional)		
table Time (From the mainpower ON)			18 seconds		17 seconds		
	Standard		2 x 500 sheets (Cassette) + 150 sheets (MPT) (A4 / Letter size or less equivalent to 80 g/m2)				
aper Capacity			2 x 600 sheets (Cassette) + 165 sheets (MPT) (A4 / Letter size or less equivalent to 64 g/m2)				
	Maximum Cassette		7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7150 x1 + 3,000 sheets PF-7120 x1 + MPT)				
Paper Size MPT			Min. A6R - Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal) Min. A6R - Max. SRA3(320mm x 450mm) & Banner Print (1,220mm x 304.8mm)				
Cassette			52~300g/m2	,			
Paper Weight MPT		52~300g/m2 ; Banner paper 136~163g/m2					
Duplex Printing			•	.6R - Max. SRA3(320mm x 450mm) ; Paper we			
Output Capacity Capacity			Max. 500 sheets + 100 sheets face-down with Inner Job Separator 10.1 inch resistive touch panel 10.2 inch Capacitance touch panel				
ontrol Panel imension (W x D x H) (Main Unit)			IU.I Inch resisti	ve touch panel 602mm x 665mm x 790mm	10.1inch Capacitance touch panel		
Veight (Main Unit)			Approx		Approx. 95 kg		
Copy/Print Mode		Mode	450W	590W	660W		
ower Consumption (Standard configuration)	Stand-by Mo		40		45W		
	Energy Save		1	0.5W			
loise (ISO7779/ ISO9296)	Copy/Print M (Mono/Colo		66dB/67dB	68dB/69dB	70dB/70dB		
ioise (13077737 1303230)	Stand-by Mo			35dB			
			Copy Functions (Standard)				
Copy Size			Max. A3 (Ledger) - Min. A6R (StatementR)				
esolution				: 600 x 600 dpi ; Writing: 1200 x 1200 dpi mult			
irst Copy Time (Mono/Color) oom Ratio	Manual		6.4/8.5 seconds	5.3/7.0 seconds 25% - 400% (1% per Step)	4.5/5.9 seconds		
fultiple Copy	Widifical			1 - 9,999			
				Print Functions (Standard)			
esolution			1,2	00 x 1,200 dpi ; 4,800 equivalent x 1,200 dpi le	evel		
DL & Emulation				5c), KPDL3 (Postscript 3 compatible), XPS, Op			
rirst Print Out Time (Mono/Color)			7.0/9.2 seconds	5.9/7.7 seconds TCP/IP(IPv4/IPv6), Bonjour	5.1/6.5 seconds		
			Windows 8.1/10, Windows Server 2012/2012 R2/2016/2019,				
Operating System Supported			Mac OS X(10.9∼), Google Chrome OS				
nterface			Ethernet (1000Base-T/100Base-TX/10Base-T)x1, USB 3.0x1, USB Host Interface (USB Host)x4, NFC TAGx1				
				Scan Functions (Standard)			
Original size			n	Table: Max. A3 (Ledger) P: Max. A3 (Ledger) - Min. A6R (DP-7140 is A5	R)		
original size			Banner: Max. 1,900mm				
Resolution			600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi, 200 x 100 dpi, 200 x 400 dpi				
ile Format			TIFF, JPEG, XPS, OpenXPS, PDF	(MMR/JPG compression/High-compression	PDF), PDF/A-2, Encrypted PDF,		
mana Tima Mada			Searchable PDF (Optional), MS Office file(Optional)				
mage Type Mode			S	Text, Photo, Text + Photo, Text (Fine Line)			
end Method	Send Method			SMB (Version 3.0), SMTP, FTP, FTPoverSSL, USB, TWAIN Source (Network), WIA Driver (Network), DFS, DSM			
Address Storage			TWAIN				
ddress Storage				Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou	S, DSM		
			2,000 address	l Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional)	S, DSM p address list)		
original Size			2,000 address	Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1	S, DSM p address list)		
original Size			2,000 address	l Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional)	S, DSM p address list)		
original Size oding Method ransmission Speed			2,000 address	Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG	S, DSM p address list)		
original Size Coding Method Fransmission Speed Fransmission Time			2,000 address	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB	S, DSM p address list)		
original Size Coding Method Fransmission Speed Fransmission Time			2,000 address	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) B (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options	S, DSM p address list)		
Original Size Or			2,000 address Max. A3 TK-8360 (C/M/Y):	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y):	S, DSM p address list) 600mm TK-8540 (C/M/Y):		
Original Size Or			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-850 (K):	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K):	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K):		
Original Size Goding Method Fransmission Speed Fransmission Time Memory			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages	TK-8540 (C/M/Y): 20,000 pages		
Original Size Coding Method Transmission Speed Transmission Time Memory Oner Kit			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages		
original Size oding Method ransmission Speed ransmission Time lemory			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-850 (K):	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) B (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K):		
original Size oding Method ransmission Speed ransmission Time lemory oner Kit			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8335 (A/B):	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) B (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages		
original Size oding Method ransmission Speed ransmission Time lemory oner Kit laintenance Kit			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8335 (A/B):	Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) Gledger) - Min. AGR (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages		
original Size oding Method ransmission Speed ransmission Time lemory oner Kit laintenance Kit			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8335 (A/B): MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages 200,000 pages 600,000 pages WT-8500	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages		
Original Size Fording Method Fransmission Speed Fransmission Time			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages 600,000 pages 600,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalf	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages		
Original Size Coding Method Fransmission Speed Fransmission Time Memory Fransmission Time Memory Fransmission Time Memory Fransmission Time Memory Fran			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8335 (A/B): MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages 18 (S370 (K): 30,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; With double g 0 sheets x 2 (A4/Letter); PF-7120: 3,000 sheet upport for 70ppm; AK-7110: Attachment Kit;	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages TK-8540 (K): 30,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages		
Original Size Coding Method Transmission Speed Transmission Time Memory Toner Kit Maintenance Kit Vaste Toner Bottle Document Processor			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8335 (A/B): MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No st DF-7140: 4,000 sheets Finisher' PH-7C: Punch Unit fo	I Source (Network), WIA Driver (Network), DF ies (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages WT-8370 (K): 30,000 pages 600,000 pages 600,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; With double Journey Scanning Type; With Gaster (Common States) Sheets 2 (A4/Letter): PF-7120: 3,000 sheet upport for 70ppm; AK-7110: Attachment Kit; I with 65 sheets Staple; DF-7150: 4,000 sheets TOF-7140/DF-7140/DF-7150; PH-7120: Punch	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One-pager feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT-		
original Size original Size original Method ransmission Speed ransmission Time Memory oner Kit Maintenance Kit Waste Toner Bottle document Processor aper Feeder			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8335 (A/B): MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 220 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No st DF-7100: Inner Finisher *No st DF-7101: 4,000 sheets Finisher PH-7C: Punch Unit for 370(B): 7	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8370 (K): 50,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; With double positions are proported to sheets x 2 (A4/Letter); PF-7120: 3,000 sheets upport for 70ppm; AK-7110: Attachment Kit; with 65 sheets Staple; DF-7150: 4,000 sheets to DF-7140/DF-7140/DF-7150; PH-7120: Punch bin Mailbox for DF-7140; P5-7110: Inner Job S: Inn Mailbox for DF-7140; P5-7110: Punch Joh Sin Mailbox for DF-7140; P5-7110: Inner Job S: Inn Mailbox for DF-7140; P5-7110: Inner Job S: Inner Inner Inner Inner Job S: Inner Inner Inner Inner Inner Inner Job S: Inner Inner Inner Inner Inner Inner Job S: Inner	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One-pager feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT-pagrator;		
original Size original Size original Method ransmission Speed ransmission Time Memory oner Kit Maintenance Kit Waste Toner Bottle document Processor aper Feeder			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets X 2; PF-7150: 1,50 DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	I Source (Network), WIA Driver (Network), DF ies (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages WT-8370 (K): 30,000 pages 600,000 pages 600,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; With double Journey Scanning Type; With Gaster (Common States) Sheets 2 (A4/Letter): PF-7120: 3,000 sheet upport for 70ppm; AK-7110: Attachment Kit; I with 65 sheets Staple; DF-7150: 4,000 sheets TOF-7140/DF-7140/DF-7150; PH-7120: Punch	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One-paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT-parator; 40; BF-9100: Booklet Folder for DF-7150; 40; BF-9100: Booklet Folder for DF-7150;		
original Size oding Method ransmission Speed ransmission Time lemory oner Kit laintenance Kit laste Toner Bottle ocument Processor aper Feeder			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets X 2; PF-7150: 1,50 DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; With double If Observation of the Sheets Staple; DF-7120: 3,000 sheet upport for 70ppm; AK-7110: Attachment Kit; with 65 sheets Staple; DF-7150: 4,000 sheets upport for 70ppm; AK-7110: Attachment Kit; or DF-7120/DF-7140/DF-7150; PH-7120: Punch Bin Mailbox for PF-7140; JS-7110: Inner Job Siding Unit; BF-730: Booklet Folder for DF-71	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One- paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- parator; 40; BF-9100: Booklet Folder for DF-7150; 40; BF-9100: Booklet Folder for DF-7150;		
riginal Size oding Method ransmission Speed ransmission Time lemory oner Kit laintenance Kit //aste Toner Bottle ocument Processor aper Feeder inisher			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets X 2; PF-7150: 1,50 DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K); 30,000 pages TK-8370 (K); 30,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa 2564ci / TASKalfa 2664ci /	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One- paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- parator; 40; BF-9100: Booklet Folder for DF-7150; 40; BF-9100: Booklet Folder for DF-7150;		
riginal Size oding Method ransmission Speed ransmission Time lemory oner Kit laintenance Kit laste Toner Bottle ocument Processor aper Feeder inisher ax System atternet FAX ard Authentication			2,000 address Max. A3 TK-8360 (C/M/Y): 12,000 pages TK-8360 (K): 25,000 pages MK-8345 (D/E): DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets X 2; PF-7150: 1,50 DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalf Duplex Scanning Type; w one-path Duplex Scanning	TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One- paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- parator; 40; BF-9100: Booklet Folder for DF-7150; 60; BF-9100: Booklet Folder for DF-7150;		
original Size or			2,000 address Max. A3 TK-8360 (C/M/Y); 12,000 pages TK-8360 (K); 25,000 pages MK-8335 (A/B); MK-8345 (D/E); DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *Nos DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit for 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF SH-10: Staple for DF-7100/DF-	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8500 Sheets RADF Type (TASKAIfa 2554ci / TASKAIf Duplex Scanning Type; w Ine-path Duplex Scanning Type; w Ine-path Duplex Scanning Type with double go sheets x 2 (A4/Letter); PF-7120: 3,000 sheets or DF-7120/DF-7140/DF-7150: PH-7120: Punch Bin Mailibox for DF-7140; JS-7110: Inner Job Solding Unit; BF-730: Booklet Folder for DF-71 Fax System 12 Internet FAX Kit(A) Card Authentication Kit(B) IB-50	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One- paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- sparator; 40; BF-9100: Booklet Folder for DF-7150; I40; SH-14: Staple for DF-7150		
original Size oding Method ransmission Speed ransmission Time Itemory oner Kit faintenance Kit faste Toner Bottle rocument Processor aper Feeder inisher ax System are repet FAX ard Authentication igabit Ethernet Board fireless LAN Interface			2,000 address Max. A3 TK-8360 (C/M/Y); 12,000 pages TK-8360 (K); 25,000 pages MK-8335 (A/B); MK-8345 (D/E); DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *Nos DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit for 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF SH-10: Staple for DF-7100/DF-	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) B (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8370 (K): 30,000 pages 600,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;W Une-path Une-	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One- paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- sparator; 40; BF-9100: Booklet Folder for DF-7150; I40; SH-14: Staple for DF-7150		
original Size oding Method ransmission Speed ransmission Time lemory oner Kit laintenance Kit //aste Toner Bottle rocument Processor aper Feeder inisher ax System axternet FAX ard Authentication igabit Ethernet Board //ireless LAN Interface torage Device			2,000 address Max. A3 TK-8360 (C/M/Y); 12,000 pages TK-8360 (K); 25,000 pages MK-8335 (A/B); MK-8345 (D/E); DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *Nos DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit for 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF SH-10: Staple for DF-7100/DF-	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages WT-8500 Sheets RADF Type (TASKAIfa 2554ci / TASKAIf Duplex Scanning Type; w Ine-path Duplex Scanning Type; w Ine-path Duplex Scanning Type with double go sheets x 2 (A4/Letter); PF-7120: 3,000 sheets or DF-7120/DF-7140/DF-7150: PH-7120: Punch Bin Mailibox for DF-7140; JS-7110: Inner Job Solding Unit; BF-730: Booklet Folder for DF-71 Fax System 12 Internet FAX Kit(A) Card Authentication Kit(B) IB-50	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One- paper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- sparator; 40; BF-9100: Booklet Folder for DF-7150; I40; SH-14: Staple for DF-7150		
Original Size Coding Method Fransmission Speed Fransmission Time Memory Foner Kit Maintenance Kit Naste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Sigabit Ethernet Board Mireless LAN Interface Storage Device Embedded OCR Banner Paper Tray			2,000 address Max. A3 TK-8360 (C/M/Y); 12,000 pages TK-8360 (K); 25,000 pages MK-8335 (A/B); MK-8345 (D/E); DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *Nos DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit for 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF SH-10: Staple for DF-7100/DF-	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K): 30,000 pages TK-8370 (K): 30,000 pages 600,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w nne-path Duplex Scanning Typ	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One-pager feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- pagrator; 40; BF-9100: Booklet Folder for DF-7150; I40; SH-14: Staple for DF-7150		
Address Storage Driginal Size Coding Method Fransmission Speed Fransmission Time Memory Foner Kit Waintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Forage Device Embedded OCR Banner Paper Tray Numeric Key Pad Original Tray Numeric Key Pad Original Tray			2,000 address Max. A3 TK-8360 (C/M/Y); 12,000 pages TK-8360 (K); 25,000 pages MK-8335 (A/B); MK-8345 (D/E); DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets O PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *Nos DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit for 730(B): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF SH-10: Staple for DF-7100/DF-	I Source (Network), WIA Driver (Network), DF ses (Common address list), 500 groups (Grou Fax Functions (Optional) 8 (Ledger) - Min. A6R (StatementR), Banner: 1 MMR, MR, MH, JBIG 33.6 kpbs Less than 3 sec. (With JBIG) 170MB Consumables & Options TK-8370 (C/M/Y): 20,000 pages TK-8370 (K); 30,000 pages TK-8370 (K); 30,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa 2564ci / TASKalfa 2660ci / TASKalfa 2564ci / TASKalfa 2660ci / TASKalfa 2564ci / TASKalfa 2660ci /	S, DSM p address list) 600mm TK-8540 (C/M/Y): 20,000 pages TK-8540 (K): 30,000 pages MK-8535 (A/B): 600,000 pages MK-8535 (A/B): 600,000 pages a 3554ci only); DP-7160: 320 sheets One-poper feeding detector s Large capacity side deck (A4/Letter) DF-7120: 1,000 sheets Finisher; Finisher with 100 sheets Staple; Unit for DF-7100; MT- sparator; 40; BF-9100: Booklet Folder for DF-7150; 140; SH-14: Staple for DF-7150		

			Main Specifications					
Model			TASKalfa 5054ci	TASKalfa 6054ci	TASKalfa 7054ci			
Main Function			Copy, Print, Scan, Fax (Optional)					
Writing Method CPU			Semiconductor Laser ARM A53 1.6GHz					
Print Speed (A4) (Mono/Color)			50/50 ppm	60/60 ppm	70/70 ppm			
Scanning Speed (A4) 300dpi	DP-7140	Simplex Duplex		-				
Scanning Speed (A4) 300dpi	DP-7150	Simplex Duplex		80 ipm 48 ipm				
Scanning Speed (A4) 300dpi Dual Scan	DP-7160	Simplex		137 ipm				
	DI 7100	Duplex		274 ipm				
Scanning Speed (A4) 300dpi Dual Scan with Duplex Feed Detection DP	DP-7170	Simplex Duplex		137 ipm 274 ipm				
Memory		Duplex		Standard 4GB (Max. 4GB)				
SSD/HDD Capacity			SSD 64GB (Standard) / HDD 320GB or 1TB (Optional)					
Stable Time (From the mainpower ON)			17 seconds 26 seconds					
Paper Capacity	apacity		2 x 500 sheets (Cassette) + 150 sheets (MPT) (A4 / Letter size or less equivalent to 80 g/m2) 2 x 600 sheets (Cassette) + 165 sheets (MPT) (A4 / Letter size or less equivalent to 64 g/m2)					
Taper capacity	Maximum		7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7150 x1 + 3,000 sheets PF-7120 x1 + MPT)					
Paper Size	Cassette		Min. A6R - Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal)					
MPT		Min. A6R - Max. 9	5RA3(320mm x 450mm) & Banner Print (1,220	mm x 304.8mm)				
Paper Weight Cassette MPT			52~300g/m2 52~300g/m2 ; Banner paper 136~163g/m2					
Duplex Printing			Paper size: Min. A	.6R - Max. SRA3(320mm x 450mm) ; Paper wei	ght: 60~256g/m2			
Output Capacity			Max. 500 sheets + 100 sheets face-down with Inner Job Separator					
Control Panel				10.1inch Capacitance touch panel				
Dimension (W x D x H) (Main Unit) Weight (Main Unit)				602mm x 665mm x 790mm				
are gare (main orne)	Copy/Print	Mode	780W	Approx. 95 kg 990W	1,140W			
Power Consumption (Standard configuration)	Stand-by N			45W	·			
	Energy Sav			0.5W				
Noise (ISO7779/ ISO9296)	Copy/Print (Mono/Col		71dB/71dB	73dB/73dB	74dB/74dB			
	Stand-by N	Mode		35dB				
Convicto			Copy Functions (Standard)					
Copy Size Resolution			Scanning	Max. A3 (Ledger) - Min. A6R (StatementR) Scanning: 600 x 600 dpi ; Writing: 1200 x 1200 dpi multiple value				
First Copy Time (Mono/Color)			3.7/4.8 seconds	3.4/4.4	•			
Zoom Ratio	Manual			25% - 400% (1% per Step)				
Multiple Copy				1 - 9,999 Print Functions (Standard)				
Resolution			1.2	90 x 1,200 dpi ; 4,800 equivalent x 1,200 dpi le	vel			
PDL & Emulation			PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscript 3 compatible), XPS, OpenXPS, PDF Direct Print Ver. 2.0					
First Print Out Time (Mono/Color)			4.3/5.4 seconds 3.8/5.1 seconds 3.7/5.0 seconds					
Supported Protocol			TCP/IP(IPv4/IPv6), Bonjour					
Operating System Supported			Windows 8.1/10, Windows Server 2012/2012 R2/2016/2019, Mac OS X(10.9∼), Google Chrome OS					
Interface			Ethernet (1000Base-T/100Base-TX/10Base-T)x1, USB 3.0x1, USB Host Interface (USB Host)x4, NFC TAGx1					
				Scan Functions (Standard)				
Original size			D	Table: Max. A3 (Ledger) DP: Max. A3 (Ledger) - Min. A6R (DP-7140 is A5R)				
Resolution			600 x 600 dpi, 400 x	Banner: Max. 1,900mm 400 dpi, 300 x 300 dpi, 200 x 200 dpi, 200 x 10	0 dpi, 200 x 400 dpi			
File Format			TIFF, JPEG, XPS, OpenXPS, PDF	(MMR/JPG compression/High-compression	PDF), PDF/A-2, Encrypted PDF,			
			Sea	archable PDF (Optional), MS Office file(Option	al)			
Image Type Mode				Text, Photo, Text + Photo, Text (Fine Line)				
Send Method			TWAIN	MB (Version 3.0), SMTP, FTP, FTPoverSSL, USE Source (Network), WIA Driver (Network), DF	5, DSM			
Address Storage			2,000 address	es (Common address list), 500 groups (Group	address list)			
			_	Fax Functions (Optional)				
Original Size Coding Method			Max. A3	(Ledger) - Min. A6R (StatementR), Banner: 1,	500mm			
Transmission Speed				MMR, MR, MH, JBIG				
Transmission Time			33.6 kpbs Less than 3 sec. (With JBIG)					
Memory				170MB				
				Consumables & Options				
Toner Kit				TK-8550 (C/M/Y): 24,000 pages TK-8550 (K): 40,000 pages				
Toner Kit Maintenance Kit			MK-8535 (A/B):	TK-8550 (K): 40,000 pages	MK-8545 (A), MK-8535 (B): 600,000 pages			
			MK-8535 (A/B):	TK-8550 (K): 40,000 pages	MK-8545 (A), MK-8535 (B): 600,000 pages			
Maintenance Kit			DP-7150: 140 sheets RADF Type; DP-7140: 65	TK-8550 (K): 40,000 pages 600,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w	600,000 pages 3554ci only); DP-7160: 320 sheets One-pat			
Maintenance Kit Waste Toner Bottle			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50	TK-8550 (K): 40,000 pages 600,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w ne-path Duplex Scanning Type with double p 0 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets	600,000 pages i 3554ci only); DP-7160: 320 sheets One-pat aper feeding detector i Large capacity side deck (A4/Letter)			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(8): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	TK-8550 (K): 40,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; with double p 0 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets upport for 70ppm; AK-7110: Attachment Kit; E with 65 sheets Staple; DF-7150: 4,000 sheets r DF-7120/DF-7140/DF-7150; PH-7120: Punch I Bin Mailbox for DF-7140; JS-7110: Inner Job Sciding Unit; BF-730: BR-730: Exoket Folder for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-71-7120/BF-730/BF-9100; SH-12: S	600,000 pages i 3554ci only); DP-7160: 320 sheets One-pat aper feeding detector : Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Init for DF-7100; MT- parator; i0; BF-9100: Booklet Folder for DF-7150;			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(8): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	TK-8550 (K): 40,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; with double posheets at 2 (A4/Letter); PF-7120: 3,000 sheets: upport for 70ppm; AK-7110: Attachment Kit; Ewith 65 sheets Staple; DF-7150: 4,000 sheets: 10 F-7120/F-7140/DF-7150; PH-7120: Punch I Bin Mailbox for DF-7140/JS-7110: Inner Job Selding Unit; BF-730: Booklet Folder for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-71-7120/BF-730/BF-7100; SH-7120/BF-730/BF-7100; SH-7120/BF-730/BF-7100; SH-7120/BF-730/BF-7100; SH-7120/BF-730	600,000 pages 13554ci only); DP-7160: 320 sheets One-paraper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Init for DF-7100; MT- parator; i0; BF-9100: Booklet Folder for DF-7150;			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(8): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	TK-8550 (K): 40,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w me-path Duplex Scanning Type;w me-path Duplex Scanning Type;w ith double posheets x 2 (A4/Letter); PF-7120: 3,000 sheets upport for 70ppm; AK-7110: Attachment Kit; Dwith 65 sheets Staple; DF-7150: 4,000 sheets if DF-7120/DF-7140/DF-7150; PH-7120: Punh-7120: Punh-7120: Punh-7120: Table Sin Mailbox for DF-7140; S-7110: Inner Job Seolding Unit; BF-730: Booklet Folder for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-712 Internet FAX Kit(A)	600,000 pages 13554ci only); DP-7160: 320 sheets One-paraper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Init for DF-7100; MT- parator; i0; BF-9100: Booklet Folder for DF-7150;			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(8): 7 IS-7100**: Inserter Unit; ZF-7100**: ZF	TK-8550 (K): 40,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; with double posheets at 2 (A4/Letter); PF-7120: 3,000 sheets: upport for 70ppm; AK-7110: Attachment Kit; Ewith 65 sheets Staple; DF-7150: 4,000 sheets: 10 F-7120/F-7140/DF-7150; PH-7120: Punch I Bin Mailbox for DF-7140/JS-7110: Inner Job Selding Unit; BF-730: Booklet Folder for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-71-7120/BF-730/BF-7100; SH-7120/BF-730/BF-7100; SH-7120/BF-730/BF-7100; SH-7120/BF-730/BF-7100; SH-7120/BF-730	600,000 pages 13554ci only); DP-7160: 320 sheets One-paraper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Init for DF-7100; MT- parator; i0; BF-9100: Booklet Folder for DF-7150;			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B; 7) IS-7100**: Inserter Unit; ZF-7100**: Z F SH-10: Staple for DF-7100/DF	TK-8550 (K): 40,000 pages WT-8500 Sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type; Wine-path Outplex Scanning Type; Wine-path Outplex Scanning Type; Winterpath Outple	600,000 pages 13554ci only); DP-7160: 320 sheets One-pai aper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Juit for DF-7100; MT- parator; 0; BF-9100: Booklet Folder for DF-7150; 40; SH-14: Staple for DF-7150			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B; 7) IS-7100**: Inserter Unit; ZF-7100**: Z F SH-10: Staple for DF-7100/DF	TK-8550 (K): 40,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w ne-path Duplex Scanning Type; ne-path Dupl	600,000 pages 13554ci only); DP-7160: 320 sheets One-pat aper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Juit for DF-7100; MT- parator; 0; BF-9100: Booklet Folder for DF-7150; 40; SH-14: Staple for DF-7150			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device Embedded OCR			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B; 7) IS-7100**: Inserter Unit; ZF-7100**: Z F SH-10: Staple for DF-7100/DF	TK-8550 (K): 40,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w me-path Duplex Scanning Type;w me-path Duplex Scanning Type;w me-path Duplex Scanning Type;w me-path Duplex Scanning Type;w mith double p 0 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets pport for 70ppm; AK-7110: Attachment Kit; Dwith 65 sheets Staple; DF-7150: 4,000 sheets if DF-7120/DF-7140/DF-7150; PH-7120: Punch I Bin Mailbox for DF-7140; S-7110: Inner Job Seolding Unit; BF-730: Booklet Folder for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-71-7120/BF-730/BF-9100; SH-12: Staple for DF-71 Fax System 12 Internet FAX Kit(A) Card Authentication Kit(B) IB-50 Id support) / IB-38 (Wi-Fi 2.4 GHz capable) *II HD-15: HDD 320GB, HD-16: HDD 1TB Scan Extension Kit(A)	600,000 pages 13554ci only); DP-7160: 320 sheets One-pat aper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Juit for DF-7100; MT- parator; 0; BF-9100: Booklet Folder for DF-7150; 40; SH-14: Staple for DF-7150			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B; 7) IS-7100**: Inserter Unit; ZF-7100**: Z F SH-10: Staple for DF-7100/DF	TK-8550 (K): 40,000 pages WT-8500 sheets RADF Type (TASKalfa 2554ci / TASKalfa Duplex Scanning Type;w ne-path Duplex Scanning Type; ne-path Dupl	600,000 pages 13554ci only); DP-7160: 320 sheets One-pat aper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Juit for DF-7100; MT- parator; 0; BF-9100: Booklet Folder for DF-7150; 40; SH-14: Staple for DF-7150			
Maintenance Kit Waste Toner Bottle Document Processor Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device Embedded OCR Banner Paper Tray			DP-7150: 140 sheets RADF Type; DP-7140: 65 DP-7170: 320 sheets C PF-7140: 500 sheets x 2; PF-7150: 1,50 DF-7100: Inner Finisher *No si DF-7140: 4,000 sheets Finisher PH-7C: Punch Unit fo 730(B; 7) IS-7100**: Inserter Unit; ZF-7100**: Z F SH-10: Staple for DF-7100/DF	TK-8550 (K): 40,000 pages WT-8500 Sheets RADF Type [TASKalfa 2554ci / TASKalfa Duplex Scanning Type; with double post of the page of the	600,000 pages 13554ci only); DP-7160: 320 sheets One-pat aper feeding detector Large capacity side deck (A4/Letter) F-7120: 1,000 sheets Finisher; inisher with 100 sheets Staple; Juit for DF-7100; MT- parator; 0; BF-9100: Booklet Folder for DF-7150; 40; SH-14: Staple for DF-7150			



Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

บริษัท เคียวเซร่า ด็อคคิวเม้นท์ โซลูชั่นส์ (ประเทศไทย) จำกัด

335 ถนนรัชดาภิเษก แขวงวงศ์สว่าง เขตบางซื่อ กรุงเทพฯ 10800 โทร. 0-2586-0333 โทรสาร. 0-2586-0278



www.kyoceradocumentsolutions.com/th